

CARDIO

CARDIO SERIES

COMMERCIAL FITNESS EQUIPMENT

PRODUCT CATALOG
2026



SPIN BIKES



AIR BIKES



ROWING
MACHINES



ELLIPTICALS



STAIR
CLIMBERS



COMMERCIAL
CARDIO EQUIPMENT

T00100

CURVED TREADMILL

CARDIO SERIES

Self-powered curved treadmill
designed for intense commercial training.

SPECIFICATIONS

	N.W.	134 KGS
	G.W.	170 KGS
	Assembly Size	1786 × 831 × 1561 MM
	Carton Size	1900 × 955 × 575 MM
	20'/40'/40'HQ	24 / 48 / 48 PCS




Deck Length
43.3 INCHES


Maximum Speed
20 MPH


Drive Method
GRAVITY ACTION


Max User Weight
150 KG / 330 LBS


Use
COMMERCIAL

T00199

CURVED TREADMILL

CARDIO SERIES

Self-powered curved treadmill
designed for intense commercial training.

SPECIFICATIONS

	N.W.	155 KGS
	G.W.	195 KGS
	Assembly Size	1793 × 900 × 1525 MM
	Carton Size	1900 × 955 × 575 MM
	20'/40'/40'HQ	24 / 48 / 48 PCS

				
Deck Length 43.3 INCHES	Maximum Speed 20 MPH	Drive Method GRAVITY ACTION	Max User Weight 150 KG / 330 LBS	Use COMMERCIAL



T00151

CURVED MANUAL TREADMILL

CARDIO SERIES

Self-powered curved treadmill
designed for intense commercial training.

SPECIFICATIONS

 N.W.	157 KGS
 G.W.	193 KGS
 Assembly Size	1793 × 950 × 1521 MM
 Carton Size	1900 × 1005 × 575 MM
 20'/40'/40'HQ	24 / 52 / 52 PCS




Deck Length
43.3 INCHES


Maximum Speed
20 MPH


Drive Method
GRAVITY ACTION


Max User Weight
150 KG / 330 LBS


Use
COMMERCIAL



SK8800

SKI TRAINER

TOTAL BODY CARDIO WORKOUT



Total Body Workout

Engage multiple muscle groups.



Air Resistance

Smooth and adjustable resistance.



Space Saving

Compact design for home and commercial use.

KEY SPECIFICATIONS



N.W.

19 KGS



G.W.

28 KGS



ASSEMBLY SIZE

1220*530*475 MM



CARTON SIZE

1270*607*2157 MM



CONTAINER QTY

20' / 40' / 40'HQ
69 / 146 / 165 PCS



COMMERCIAL

BR8800

AIR BIKE

CARDIO SERIES

Commercial air bike designed for intense full-body cardio training.

SPECIFICATIONS

	N.W.	45 KGS
	G.W.	53 KGS
	Assembly Size	1250 × 605 × 1520 MM
	Carton Size	1230 × 325 × 860 MM
	20'/40'/40'HQ	82 / 174 / 195 PCS



Commercial Use



Max User Weight
150 KG



10-Level
Resistance



Smooth
Handle



Console
Display



COMMERCIAL

K58098

ELLIPTICAL TRAINER

CARDIO SERIES

Engineered for performance and durability, the K58098 Elliptical Trainer delivers a smooth, natural stride with low-impact comfort. Its magnetic brake system and precision drive ensure whisper-quiet operation, while the robust frame and commercial-grade components are built to perform in the toughest environments.

N.W.:	87.5 KGS
G.W.:	103.5 KGS
Assembly Size:	1721 × 724 × 1637 MM
Carton Size:	1800 × 550 × 850 MM
20'/40'/40'HQ:	30 / 65 / 78 PCS



Commercial Use



Max User Weight
150 KG / 330 LBS



Flywheel
7 KG / 15.4 LBS



Magnetic Brake
System



Belt Drive



Stride
50.8 CM / 20.0"



Monitor
SM50145E



Incline adjustment:
rear incline 5 levels



Manual Resistance
32 Levels /
Self-generation electricity

K58099

ELLIPTICAL TRAINER

CARDIO SERIES

Smooth, natural motion meets solid engineering.
The K58099 elliptical trainer delivers an effective,
low-impact workout built for commercial performance.

N.W.:	94.5 KGS
G.W.:	110.5 KGS
Assembly Size:	1721 × 724 × 1637 MM
Carton Size:	1800 × 550 × 850 MM
20'/40'/40'HQ:	30 / 65 / 78 PCS



Commercial
Use



Max User Weight
150 KG / 330 LBS



Flywheel
11 KG / 22 LBS



Self-Powered ENS



Belt Drive



Stride
50.8 CM / 20.0"



Monitor
SM50145E-78



Incline Adjustment
Rear incline 5 levels



Manual Resistance
32 Levels

CARDIO SERIES

K29100

AIR BIKE

CARDIO SERIES

Commercial air bike designed for powerful full-body cardio training.

SPECIFICATIONS

	N.W.	60 KGS
	G.W.	71 KGS
	Assembly Size	1305 × 767 × 1325 MM
	Carton Size	1280 × 380 × 890 MM
	20'/40'/40'HQ	60 / 132 / 165 PCS



Commercial
Use



Max User Weight
150 KG / 330 LBS



Fan Wheel



Belt Drive



Aluminum Pedals



Monitor
JSD-10421



Saddle Horizontal
and Vertical



COMMERCIAL

K29162

AIR BIKE

CARDIO SERIES

Commercial air bike designed for powerful full-body cardio training.

SPECIFICATIONS

 N.W.	63.5 KGS
 G.W.	74.5 KGS
 Assembly Size	1320 × 767 × 1356 MM
 Carton Size	1280 × 380 × 890 MM
 20'/40'/40'HQ	60 / 132 / 165 PCS



Commercial
Use



Max User Weight
150 KG / 330 LBS



Fan Wheel



Magnetic System



Belt Drive



Pedals
JD-304V



Monitor
ST-39117M



Saddle Horizontal
and Vertical



Alloy Seat Post



COMMERCIAL

K29182

AIR BIKE

CARDIO SERIES

Commercial air bike designed for powerful full-body cardio training.

SPECIFICATIONS

	N.W.	65 KGS
	G.W.	70 KGS
	Assembly Size	1330 × 767 × 1325 MM
	Carton Size	1280 × 380 × 890 MM
	20'/40'/40'HQ	60 / 132 / 165 PCS



Commercial
Use



Max User Weight
150 KG / 330 LBS



Fan Wheel



Magnetic System



Belt Drive



Pedals
JD-307V



Medals
ST-39152



Monitor
ST-39152



Saddle Horizontal
and Vertical



Alloy Seat Post



COMMERCIAL

K22611

AIR BIKE

CARDIO SERIES

Commercial air bike designed for powerful full-body cardio training.

SPECIFICATIONS

	N.W.:	54 KGS
	G.W.:	62 KGS
	Assembly Size:	1315 × 610 × 1270 MM
	Carton Size:	1320 × 275 × 890 MM
	20'/40'/40'HQ:	87 / 180 / 216 PCS



Commercial
Use



Max User Weight
150 KG / 330 LBS



Fan Wheel



Belt /
Chain Drive



Aluminum Pedals
JD-304V



Monitor
JS-10421



Saddle
Horizontal and Vertical



KS-9068
Saddle



Dipping
Handlebar



Alloy
Seat Post



COMMERCIAL

K22624

AIR BIKE

CARDIO SERIES

Commercial air bike designed for powerful full-body cardio training.

SPECIFICATIONS

 N.W.:	59 KGS
 G.W.:	67 KGS
 Assembly Size:	1400 × 610 × 1260 MM
 Carton Size:	1320 × 275 × 890 MM
 20'/40'/40'HQ:	87 / 180 / 216 PCS



Commercial
Use



Max User Weight
150 KG / 330 LBS



Fan Wheel



Belt /
Chain Drive



Aluminum Pedals
JD-304V



Monitor
JS-10421



Saddle
Horizontal and Vertical



KS-9068
Saddle



Dipping
Handlebar



Alloy
Seat Post



COMMERCIAL

K22699

AIR BIKE

CARDIO SERIES

Commercial air bike designed for powerful full-body cardio training.

SPECIFICATIONS

	N.W.:	56.5 KGS
	G.W.:	64.5 KGS
	Assembly Size:	1315 × 610 × 1270 MM
	Carton Size:	1320 × 275 × 890 MM
	20'/40'/40'HQ:	88 / 180 / 216 PCS



Commercial
Use



Max User Weight
150 KG / 330 LBS



Fan Wheel



Belt /
Chain Drive



Aluminum Pedals
JD-304V



Monitor
JS-10421



Saddle
Horizontal and Vertical



KS-9068
Saddle



Dipping
Handlebar



Alloy
Seat Post



COMMERCIAL

K29100

AIR BIKE

CARDIO SERIES

Commercial air bike designed for powerful full-body cardio training.

SPECIFICATIONS

	N.W.	60 KGS
	G.W.	71 KGS
	Assembly Size	1305 × 767 × 1325 MM
	Carton Size	1280 × 380 × 890 MM
	20'/40'/40'HQ	60 / 132 / 165 PCS



Commercial
Use



Max User Weight
150 KG / 330 LBS



Fan Wheel



Belt Drive



Aluminum Pedals



Monitor
JSD-10421



Saddle Horizontal
and Vertical



COMMERCIAL

K29162

AIR BIKE

CARDIO SERIES

Commercial air bike designed for powerful full-body cardio training.

SPECIFICATIONS

 N.W.	63.5 KGS
 G.W.	74.5 KGS
 Assembly Size	1320 × 767 × 1356 MM
 Carton Size	1280 × 380 × 890 MM
 20'/40'/40'HQ	60 / 132 / 165 PCS



Commercial
Use



Max User Weight
150 KG / 330 LBS



Fan Wheel



Magnetic System



Belt Drive



Pedals
JD-304V



Monitor
ST-39117M



Saddle Horizontal
and Vertical



Alloy Seat Post



COMMERCIAL

K29182

AIR BIKE

CARDIO SERIES

Commercial air bike designed for powerful full-body cardio training.

SPECIFICATIONS

	N.W.	65 KGS
	G.W.	70 KGS
	Assembly Size	1330 × 767 × 1325 MM
	Carton Size	1280 × 380 × 890 MM
	20'/40'/40'HQ	60 / 132 / 165 PCS



Commercial
Use



Max User Weight
150 KG / 330 LBS



Fan Wheel



Magnetic System



Belt Drive



Pedals
JD-307V



Medals
ST-39152



Monitor
ST-39152



Saddle Horizontal
and Vertical



Alloy Seat Post



COMMERCIAL

K22611

AIR BIKE

CARDIO SERIES

Commercial air bike designed for powerful full-body cardio training.

SPECIFICATIONS

	N.W.:	54 KGS
	G.W.:	62 KGS
	Assembly Size:	1315 × 610 × 1270 MM
	Carton Size:	1320 × 275 × 890 MM
	20'/40'/40'HQ:	87 / 180 / 216 PCS



Commercial
Use



Max User Weight
150 KG / 330 LBS



Fan Wheel



Belt /
Chain Drive



Aluminum Pedals
JD-304V



Monitor
JS-10421



Saddle
Horizontal and Vertical



KS-9068
Saddle



Dipping
Handlebar



Alloy
Seat Post



COMMERCIAL

K22624

AIR BIKE

CARDIO SERIES

Commercial air bike designed for powerful full-body cardio training.

SPECIFICATIONS

 N.W.:	59 KGS
 G.W.:	67 KGS
 Assembly Size:	1400 × 610 × 1260 MM
 Carton Size:	1320 × 275 × 890 MM
 20'/40'/40'HQ:	87 / 180 / 216 PCS



Commercial
Use



Max User Weight
150 KG / 330 LBS



Fan Wheel



Belt /
Chain Drive



Aluminum Pedals
JD-304V



Monitor
JS-10421



Saddle
Horizontal and Vertical



KS-9068
Saddle



Dipping
Handlebar



Alloy
Seat Post



COMMERCIAL

PD1990

SMART SPIN BIKE

CARDIO SERIES

Commercial smart spin bike designed for immersive, connected cardio training.

SPECIFICATIONS

	N.W.:	65 KGS
	G.W.:	70 KGS
	Assembly Size:	1280 × 503 × 1127 MM
	Carton Size:	1040 × 250 × 850 MM
	20'/40'/40'HQ:	122 / 258 / 303 PCS



Commercial
Use



Max User Weight
150 KG / 330 LBS



Flywheel
20 KG / 44 LBS



Magnetic Brake
System



Belt Drive



Aluminum Pedals
JD-304V SPD



Monitor
AC0053-54B-14



Saddle
Horizontal and
Vertical



Handlebar
Horizontal and
Vertical



Dipping
Handlebar



Aluminum Handlebar
Post and
Saddle Post



COMMERCIAL

PD1983

SPIN BIKE

CARDIO SERIES

Commercial spin bike designed for immersive, connected cardio training.

SPECIFICATIONS

 N.W.:	62 KGS
 G.W.:	67 KGS
 Assembly Size:	1280 × 503 × 1127 MM
 Carton Size:	1040 × 250 × 850 MM
 20'/40'/40'HQ:	122 / 258 / 303 PCS



Commercial
Use



Max User Weight
150 KG / 330 LBS



Flywheel
20 KG / 44 LBS



Magnetic Brake
System



Belt Drive



Aluminum Pedals
JD-304V SPD



Hamrunner
JD-SX-9FD



Monitor
SI-6701



Saddle
Horizontal and
Vertical



Aluminum Handlebar
Post and
Saddle Post



COMMERCIAL

PD1999

SPIN BIKE

CARDIO SERIES

Commercial spin bike designed for immersive, connected cardio training.

SPECIFICATIONS

 N.W.:	54 KGS
 G.W.:	59 KGS
 Assembly Size:	1280 × 503 × 1127 MM
 Carton Size:	1040 × 250 × 850 MM
 20'/40'/40'HQ:	122 / 258 / 303 PCS



Commercial
Use



Max User Weight
150 KG / 330 LBS



20 KG / 44 LBS
Flywheel



Magnetic Brake
System



Belt Drive



Magnetic Pedal
JD-304V SPD



Aluminum Pedals
JD-304V SPD



Monitor
ST-6521



Saddle
Horizontal and
Vertical



Aluminum Handlebar
Post and
Saddle Post



COMMERCIAL

PD1914

SPIN BIKE

CARDIO SERIES

Commercial spin bike designed for immersive, connected cardio training.

SPECIFICATIONS

 N.W.:	53 KGS
 G.W.:	58 KGS
 Assembly Size:	1280 × 503 × 1127 MM
 Carton Size:	1040 × 250 × 850 MM
 20'/40'/40'HQ:	122 / 258 / 303 PCS



Commercial
Use



Max User Weight
150 KG / 330 LBS



20 KG / 44 LBS
Flywheel



Friction Braking
System and
Emergency Lock



Belt Drive



Aluminum Pedals
JD-304V SPD



Monitor
ST-6519



Saddle
Horizontal and
Vertical



Handlebar
Vertical



COMMERCIAL

PG1399

SPIN BIKE

CARDIO SERIES

Commercial spin bike designed for immersive, connected cardio training.

N.W.:	65 KGS
G.W.:	71 KGS
Assembly Size:	1450 × 610 × 1200 MM
Carton Size:	1140 × 280 × 965 MM
20'/40'/40'HQ:	92 / 188 / 212 PCS



Commercial
Use



Max User Weight
150 KG / 330 LBS



20 KG / 44 LBS
Flywheel



Magnetic Brake
System



Belt
Drive



Aluminum Pedals
JD-304V SPD



Monitor
ST6521



Saddle Horizontal
and Vertical



KS-9068 Saddle



Aluminum
Handlebar Post

COMMERCIAL

PQ3003

SPIN BIKE

CARDIO SERIES

Commercial spin bike designed for stable, connected cardio training.

N.W.:	58.5 KGS
G.W.:	64 KGS
Assembly Size:	1290 × 610 × 1400 MM
Carton Size:	1165 × 250 × 1040 MM
20'/40'/40'HQ:	100 / 201 / 222 PCS



Commercial Use



Max User Weight
150 KG / 330 LBS



20 KG / 44 LBS
Flywheel



Friction Braking
System and
Emergency Lock



Belt Drive



Aluminum Pedals
JD-304V SPD



Monitor
SP-1



Saddle
Horizontal
and Vertical



Handlebar
Horizontal
and Vertical



Aluminum Handlebar
Post and
Saddle Post

COMMERCIAL

PF0983

SPIN BIKE

CARDIO SERIES

Commercial spin bike designed for immersive, connected cardio training.

SPECIFICATIONS

N.W.:	63.5 KGS
G.W.:	68.5 KGS
Assembly Size:	1645 × 620 × 1560 MM
Carton Size:	1170 × 245 × 980 MM
20'/40'/40'HQ:	100 / 202 / 224 PCS



Commercial Use



Max User Weight
150 KG / 330 LBS



20 KG / 44.8 LBS
Flywheel



Magnetic Brake
System



Belt Drive



Aluminum Pedals
JD-014V SPD



Monitor
SI-6701



Saddle
Horizontal
and Vertical



Handlebar
Horizontal
and Vertical



KS-9068
Saddle



Aluminum
Handlebar Post

COMMERCIAL

PF0980

SPIN BIKE

CARDIO SERIES

Commercial spin bike designed for immersive, connected cardio training.

SPECIFICATIONS

N.W.:	63.5 KGS
G.W.:	68.5 KGS
Assembly Size:	1645 × 620 × 1560 MM
Carton Size:	1190 × 250 × 1085 MM
20'/40'/40'HQ:	80 / 180 / 218 PCS



Commercial Use



Max User Weight
150 KG / 330 LBS



20 KG / 48.5 LBS
Flywheel



Magnetic Brake
System



Belt Drive



Aluminum Pedals
JD-014V SPD



Monitor
SV-8507-78



Saddle
Horizontal
and Vertical



Handlebar
Horizontal
and Vertical



KS-9068
Saddle



Aluminum
Handlebar Post

PJ2054

SPIN BIKE

CARDIO SERIES

Commercial spin bike designed for stable, connected cardio training.

N.W.:	57 KGS
G.W.:	65 KGS
Assembly Size:	1185 × 620 × 1370 MM
Carton Size:	1065 × 265 × 890 MM
20'/40'/40'HQ:	112 / 228 / 254 PCS



Semi-professional
Use



Max User Weight
150 KG / 330 LBS



20 KG / 44 LBS
Flywheel



Friction Braking
System and
Emergency Lock



Belt Drive



Monitor
te-2300



Saddle
Horizontal
and Vertical



Handlebar
Horizontal
and Vertical



DD-004
Saddle

SEMI-PROFESSIONAL

P70683

SPIN BIKE

CARDIO SERIES

Designed for semi-professional use, the P70683 Spin Bike delivers stable, smooth and effective cardio training. Built with a heavy-duty frame, precision belt drive and adjustable ergonomics for optimal performance.

	N.W.	49 KGS
	G.W.	57 KGS
	Assembly Size	1100 × 540 × 1200 MM
	Carton Size	1070 × 235 × 925 MM
	20'/40'/40'HQ	122 / 246 / 280 PCS



Semi-professional
Use



Max User Weight
135 KG / 297 LBS



20 KG / 44 LBS
Flywheel



Friction Braking System
and Emergency Lock



Belt
Drive



Aluminum Pedals
JD-304V



Monitor



Saddle Horizontal
and Vertical



KS-9068 Saddle



Dipping Handlebar
With bottle holder,
without bottle

SEMI-PROFESSIONAL

P51651

SPIN BIKE

CARDIO SERIES

Engineered for intense performance and durability, this spin bike delivers a smooth, stable ride for commercial fitness environments.

N.W.	65 KGS
G.W.	70 KGS
Assembly Size	1350 × 610 × 1235 MM
Carton Size	1230 × 315 × 865 MM
20'/40'/40'HQ	80 / 166 / 195 PCS



Commercial Use



Max User Weight
KG / 330 LBS



22 KG / 48.4 LBS
Flywheel



Leather Braking
System and
Emergency Lock



Belt
Drive



Aluminum Pedals
JD-304V SPD



Monitor



Saddle Horizontal
and Vertical



Handlebar Horizontal
and Vertical



VL-9058 saddle
Dipping handlebar
with aluminum
handlebar post
and saddle post

P40593

SPIN BIKE

CARDIO SERIES

Engineered for intense performance and durability, this spin bike delivers a smooth, stable ride for commercial fitness environments.

N.W.:	58 KGS
G.W.:	65 KGS
Assembly Size:	1260 × 530 × 1280 MM
Carton Size:	1060 × 215 × 860 MM
20'/40'/40'HQ:	132 / 272 / 330 PCS



Semi-professional
Use



Max User Weight
150 KG / 330 LBS



20 KG / 44 LBS
Flywheel



Friction Braking
System and
Emergency Lock



Belt
Drive



Aluminum Pedals
JD-304V



Monitor
ST-6521



Saddle Horizontal
and Vertical



Handlebar Horizontal
and Vertical



DD-004 Dipping
handlebar with
aluminum
handlebar post



CARDIO SERIES

P51651

SPIN BIKE

CARDIO SERIES

Engineered for intense performance and durability, this spin bike delivers a smooth, stable ride for commercial fitness environments.

N.W.	65 KGS
G.W.	70 KGS
Assembly Size	1350 × 610 × 1235 MM
Carton Size	1230 × 315 × 865 MM
20'/40'/40'HQ	80 / 166 / 195 PCS



Commercial Use



Max User Weight
KG / 330 LBS



22 KG / 48.4 LBS
Flywheel



Leather Braking
System and
Emergency Lock



Belt
Drive



Aluminum Pedals
JD-304V SPD



Monitor



Saddle Horizontal
and Vertical



Handlebar Horizontal
and Vertical



VL-9058 saddle
Dipping handlebar
with aluminum
handlebar post
and saddle post



CARDIO SERIES